



# SAFETY DATA SHEET

Issuing Date 25-May-2016

Revision Date 25-May-2016

Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

**Product Name** Smooth Panel Board

### Other means of identification

**Synonyms** Flat Tile, Wet Print Designers

### Recommended use of the chemical and restrictions on use

**Recommended Use** Interior wall panels

**Uses advised against** No information available

### Supplier's details

#### **Supplier Address**

DPI  
2900 Hill Avenue  
Toledo, Ohio  
TEL: 419-535-5921

### Emergency telephone number

**Emergency Telephone Number** 800-521-4301

## 2. HAZARDS IDENTIFICATION

### Classification

This product is an article as defined under OSHA regulation 29 CFR 1910.1200. In present form, this product does not present hazards leading to hazard classification. However, certain processing conditions which will alter the present form may change the hazardous nature of the product leading to a potential for chemical exposure. The classification presented below is based on the potential of chemical exposure upon alteration of the present form.

Carcinogenicity	Category 1A
Combustible Dust	-

### GHS Label elements, including precautionary statements

#### Emergency Overview

<b>Signal Word</b>	<b>Danger</b>
<b>Hazard Statements</b>	
• May cause cancer	
• May form combustible dust concentrations in air	

**Appearance** Surface varies.**Physical State** Solid (compressed).**Odor** Slight to none.**Precautionary Statements****Prevention**

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.

**General Advice**

- If exposed or concerned: Get medical attention/advice

**Storage**

- Store locked up.

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Hazard Not Otherwise Classified (HNOC)**

Not applicable.

**Other information**

100% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms**

Flat Tile, Wet Print Designers

Chemical Name	CAS-No	Weight %	Trade secret
Wood dust	Trade Secret	>95	*
Titanium dioxide	13463-67-7	0.4-0.5	*
Quartz	14808-60-7	0.4-0.5	*

*\*The exact percentage (concentration) of composition has been withheld as a trade secret.*

### 4. FIRST AID MEASURES

**Description of necessary first-aid measures****General Advice**

Under normal conditions of use first aid is not required.

**Eye Contact**

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Get medical attention if symptoms occur.

**Skin Contact**

Wash skin with soap and water. Remove and wash contaminated clothing before re-use. Get medical attention if symptoms occur.

**Inhalation**

Move to fresh air. Get medical attention if symptoms occur.

**Ingestion**

If wood or wood dust is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** No information available.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Water fog. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Foam.

**Unsuitable Extinguishing Media** No information available.

**Specific Hazards Arising from the Chemical**

Avoid dust formation. Fine dust dispersed in air may ignite. Dust can form an explosive mixture in air. Thermal decomposition can lead to release of irritating gases and vapors.

**Explosion Data**

**Sensitivity to Mechanical Impact**

None.

**Sensitivity to Static Discharge**

Yes.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Avoid dust formation. Remove all sources of ignition. Take precautionary measures against static discharges. Avoid inhalation of dust. Ensure adequate ventilation. Use personal protective equipment.

**Environmental Precautions****Environmental Precautions**

See Section 12 for additional Ecological Information. Prevent from entering into soil, ditches, sewers, waterways, and/ or groundwater.

**Methods and materials for containment and cleaning up****Methods for Containment**

Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up**

Avoid dust formation. Vacuum or sweep up material and place in designated labeled waste container. Use vacuum equipment designed specifically for combustible dust. Wet the material with water to limit dust emission or explosion risk.

**7. HANDLING AND STORAGE****Precautions for safe handling****Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation. Fine dust dispersed in air may ignite. Avoid breathing dust. Keep away from heat, sparks and open flame. No smoking. Take precautionary measures against static discharges. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Avoid contact with skin, eyes and clothing. Wear personal protective equipment.

**Conditions for safe storage, including any incompatibilities**

**Storage** Store in a cool, dry place.

**Incompatible Products** Strong acids. Alkalis. Oxidizing agents.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Wood dust	TWA: 1 mg/m <sup>3</sup> (inhalable fraction)	(vacated) 5 mg/m <sup>3</sup> PEL STEL: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable fraction	30/(%SiO <sub>2</sub> +2) mg/m <sup>3</sup> TWA, Total Dust; 250/(%SiO <sub>2</sub> +5) mppcf TWA, respirable fraction; 10/(%SiO <sub>2</sub> +2) mg/m <sup>3</sup> TWA, respirable TWA: 0.1 mg/m <sup>3</sup> (vacated)	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust

### Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** None required under normal usage. Risk of contact, wear: Safety glasses with side-shields.  
**Skin and Body Protection** None required under normal usage. Risk of contact: Protective gloves.  
**Respiratory Protection** No protective equipment is needed under normal use conditions. Respirator must be worn if exposed to dust. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

**Physical State** Solid (compressed).  
**Odor** Slight to none.  
**Appearance** Surface varies.  
**Odor Threshold** No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
pH	No data available	None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	No data available	None known
Flash Point	> 200 °C	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Specific Gravity	0.8-1.07; No units, but stated at a given temperature	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known

<b>Flammable Properties</b>	Not flammable
<b>Explosive Properties</b>	No data available
<b>Oxidizing Properties</b>	No data available
<b><u>Other information</u></b>	
<b>VOC Content (%)</b>	No data available

## 10. STABILITY AND REACTIVITY

### **Reactivity**

No data available.

### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of hazardous reactions**

None under normal processing.

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### **Conditions to avoid**

Dust formation. Fine dust dispersed in air may ignite. Ignitions sources - heat, sparks and open flames. Incompatible products.

### **Incompatible materials**

Strong acids. Alkalis. Oxidizing agents.

### **Hazardous decomposition products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Aldehydes. Organic acids.

## 11. TOXICOLOGICAL INFORMATION

### **Information on likely routes of exposure**

#### **Product Information**

This product is not hazardous as supplied; however, certain processing conditions which will alter the present form may change the hazardous nature of the product and may lead to the potential of exposure to the hazardous materials present in the article. The information presented below is based on this type of exposure.

#### **Inhalation**

Inhalation of dust in high concentration may cause irritation of respiratory system.

#### **Eye Contact**

Dust contact with the eyes can lead to mechanical irritation.

#### **Skin Contact**

Contact with dust can cause mechanical irritation or drying of the skin.

#### **Ingestion**

None under normal use conditions. May cause irritation to the gastrointestinal tract.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Titanium dioxide	> 10000 mg/kg ( Rat )	-	> 6820 mg/m <sup>3</sup>

### **Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** No information available.

### **Delayed and immediate effects and also chronic effects from short and long term exposure**

**Sensitization** No information available.

**Mutagenic Effects** No information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Wood dust		Group 1	Known	X
Titanium dioxide		Group 2B		X
Quartz	A2	Group 1	Known	X

**ACGIH: (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

**IARC: (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

**NTP: (National Toxicity Program)**

Known - Known Carcinogen

**OSHA: (Occupational Safety & Health Administration)**

X - Present

**Reproductive Toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Chronic Toxicity**

Wood dust has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1) Titanium dioxide has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

**Aspiration Hazard**

No information available.

**Numerical measures of toxicity - Product**

**Acute Toxicity** 100% of the mixture consists of ingredient(s) of unknown toxicity.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

**Persistence and Degradability**

No information available.

**Bioaccumulation**

No information available.

**Other Adverse Effects**

No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging**

Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT**

Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA</b>	Not determined
<b>DSL</b>	Not determined

### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

<b>Acute Health Hazard</b>	No
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	Yes
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Wood dust		Carcinogen
Titanium dioxide	13463-67-7	Carcinogen
Quartz	14808-60-7	Carcinogen
Formaldehyde	50-00-0	Carcinogen
Methyl alcohol	67-56-1	Developmental
Cumene	98-82-8	Carcinogen
Toluene	108-88-3	Developmental

### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Quartz	X	X	X	-	X
Ferric sulfate	X	X	X		X

### U.S. EPA Label Information

---

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
<b><u>NFPA</u></b>	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical Hazards -
<b><u>HMIS</u></b>	Health Hazard 1*	Flammability 1	Physical Hazard 0	Personal Protection X

*\*Indicates a chronic health hazard.*

<b>Prepared By</b>	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
<b>Issuing Date</b>	25-May-2016
<b>Revision Date</b>	25-May-2016
<b>Revision Note</b>	Initial Release.

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**